



# Oxygen simplified

EverFlo concentrators reduce the cost of oxygen therapy

**PHILIPS**

**RESPIRONICS**

sense and simplicity

# Freedom of choice

We offer a full line of oxygen concentrators.

EverFlo Q ultra quiet oxygen concentrator with all of the features of our EverFlo, plus:

- Provides ultra-quiet sound level of 40 dBA (under typical use)
- Reduces noise complaints and associated costs and time\*
- Differentiates your oxygen business to physicians

\* Ultra-quiet Stationary Concentrators for Home Oxygen Therapy, 2007. Data on file. Philips Respiration.

EverGo portable oxygen concentrator (shown below):

- Eight-hour battery life with 1050 ml/min oxygen capacity (based on a setting of 2 at 20 BPM)
- Less than ten pounds
- Easy-to-use non-medical design that plugs into any AC or DC power source
- FAA approved for air travel and in-flight use



Pair EverFlo with EverGo for an ideal oxygen-generating solution. EverFlo provides a low-maintenance, low-cost concentrator for stationary use and EverGo is a lightweight, portable concentrator with eight-hour battery life. The EverFlo and EverGo system can reduce your cost of providing oxygen therapy by:

- Eliminating recurring delivery costs and cylinder hassles
- Reducing maintenance costs
- Easing inventory management
- Minimizing patient calls



# Ideal oxygen concentrators for you and your patients.

Philips Respironics recognizes the growing need for cost-effective and reliable oxygen concentrators that can reduce the cost of providing oxygen therapy. That's why we've developed a series of forward-thinking oxygen products like EverFlo that simplify your oxygen business.

## Expect industry-leading quality and reliability

**EverFlo stationary oxygen concentrators can save you time and money over the course of ownership because of their design and quality. Field-proven over more than three years, EverFlo was rated highest in perceived quality by a 2008 independent survey of homecare providers, and hundreds of thousands of units have been deployed worldwide.\***

**Manufactured in the United States and backed by our deep design knowledge, EverFlo is developed using only high-quality parts. With a recessed flow meter, metal cannula connector, strong plastic casing, proven sieve bed, and Pressure Swing Adsorption (PSA) technology, you will notice a reduction in repairs, complaints, and unscheduled visits.**

## Enjoy ease of service

**EverFlo is designed with fewer parts resulting in lower overall maintenance costs. EverFlo has just two filters. The external filter can be changed in minutes without special skills or tools and the internal micro disk filter is simply checked during routine maintenance procedures.**

## Differentiate your business

**EverFlo concentrators are backed by value-added tools. From in-person and online training to financing options, you have what you need to succeed. And, since Philips Respironics offers a wide range of sleep and home respiratory products and comprehensive support, we can be the source for many of your product needs.**

\* HME Home Oxygen Survey. 2008. Data on file.  
Philips Respironics.



**Easy to store, transport, and deliver. EverFlo is compact, has a streamlined and integrated handle, and weighs only 31 pounds. This results in lower shipping and storage costs and may reduce risk of worker injury.**





**EverFlo is a green product**  
EverFlo is significantly lighter, quieter, and more energy efficient than its predecessor. These improvements include reductions of weight (40%), energy usage (24%), and packaging (15%).

**Green logo**  
You'll find the Green logo on Philips environmentally friendly products, so that you can make the right environmental choice.



EverFlo is the winner of the Provider's Choice Award at 2008 Medtrade Spring.

## Give your patients what they want.

Your patients will appreciate the compact, non-medical design of the EverFlo oxygen concentrator because it will fit right into their home environment. The unit is designed to be small, light, easy to transport and will fit into the trunk of a car. EverFlo has an easy-to-mount humidifier bottle connection and no patient filter.



Molded handle that's easy to pick up and transport with one or both hands



Humidifier bottle holder compatible with all bottle styles

## EverFlo product specifications

|   |   |
|---|---|
| <b>Input voltage</b>                                  | <b>120 VAC +/- 10%</b>  |
| <b>Input frequency</b>                                | <b>60 hz</b>  |
| <b>Average power consumption</b>                      | <b>350 watts</b>  |
| <b>Oxygen concentration* (at 5 lpm)</b>               | <b>93% (+/- 3%)</b>   |
| <b>Liter flow</b>                                     | <b>0.5 to 5 liters per minute</b>                                 |
| <b>Weight</b>   | <b>31 lbs (14 kg)</b>   |
| <b>Sound level</b>                                    | <b>45 dBA typical</b>   |
| <b>Dimensions</b>                                     | <b>23" (584 mm) h, 15" (381 mm) w, 9.5" (241 mm) d</b>            |
| <b>Required maintenance</b>                           | <b>Compressor intake filter: change every 2 years</b>             |
| <b>OPI (oxygen percentage indicator) alarm levels</b> | <b>Low oxygen: 82%, very low oxygen: 70%</b>                      |
| <b>Operating temperature</b>                          | <b>55°F to 90°F (12°C to 32°C)</b>                                |
| <b>Storage/transport humidity</b>                     | <b>-30°F to 160°F (-34°C to 71°C) up to 95% relative humidity</b> |
| <b>Operating humidity</b>                             | <b>Up to 95% relative humidity</b>                                |
| <b>Outlet pressure</b>                                | <b>5.5 PSI</b>  |
| <b>Operating altitude</b>                             | <b>0 to 7,500' (0 to 2,286 m)</b>                                 |

\* Device operation above or outside of the specified voltage, LPM, temperature, humidity, and/or altitude values may decrease oxygen concentration levels.

## EverFlo ordering information

| Concentrator systems  | Part number    |
|---|----------------|
| <b>EverFlo oxygen concentrator</b>  | <b>1020000</b> |
| <b>EverFlo oxygen concentrator with OPI (oxygen percentage indicator)</b>   | <b>1020001</b> |
| <b>EverFlo Q oxygen concentrator</b>  | <b>1020015</b> |
| <b>EverFlo Q oxygen concentrator with OPI (oxygen percentage indicator)</b> | <b>1020014</b> |
| Concentrator accessories  | Part number    |
| <b>Compressor intake filter</b>   | <b>1038831</b> |
| <b>Micro disk filter</b>  | <b>520</b>     |
| <b>Humidifier connector tube</b>  | <b>1039642</b> |
| <b>Stand-alone low-flow flow meter</b>                                      | <b>H537-1</b>  |
| <b>Integrated low-flow flow meter</b>                                       | <b>H644</b>    |
| <b>Flow meter locking kit</b>   | <b>528</b>     |
| <b>EverFlo manual in English, French, Spanish, and Portuguese</b>           | <b>1020121</b> |
| <b>EverFlo service manual</b>   | <b>1039055</b> |
| Extended warranty   | Part number    |
| <b>Two-year extended warranty with compressor</b>                           | <b>1038571</b> |



**Internal tubing storage keeps tubing conveniently available for use**



**Metal cannula connector for greater durability**



**Interface panel with on/off switch and alarm indicators**



**Recessed flow meter reduces the risk of breakage**



